EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	501	438/157.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 07:06
L4	101	438/176.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 07:06
L5	2484	438/197.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 07:06
L6	588	438/216.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 07:06
L7	563	438/283.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 07:07
L8	1342	438/653.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 07:07
L9	504	438/686.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 07:07
L10	0	l9 and (Gate with ((metal adj barrier) or (barrier adj metal)) with (second with metal with gate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 07:07
L11	39	l9 and (work adj function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 07:08

L12	8	l11 and (gate with barrier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 07:16
L14	0	MOSFET with method with reactive with gate with electrode with insulator with first with metal with second with thickness with nanometer with (work adj function).clms.	US-PGPUB	OR	ON	2008/11/10 07:22
S1	2	"6861712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:44
S2	1	"6410376".PN.	USPAT; USOCR	OR	ON	2005/06/07 14:00
S3	169	Gate with ((metal adj barrier) or (barrier adj metal)) with (second with metal with gate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:13
S4	45	S3 and (gate with nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:18
S5	3	S4 and ((high adj k) or (high-k))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:18
S6	2	S5 and (barrier with (TaN or TiN or WN))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:20
S7	1	S6 and (work adj function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:19
S8	6423	(work adj function) and nm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:45

S9	1827	(work adj function) and ("4" with nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 16:20
S10	23	S9 and (barrier with "4" with nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:48
S11	27	S9 and (barrier with "3" with nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 16:20
S12	21	S9 and (barrier with "2" with nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 16:23
S13	54	S9 and (barrier with "1" with nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 16:23
S14	287	(work adj function) and ("4" adj nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:47
S15	549	(work adj function) and ("3" adj nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:47
S16	745	(work adj function) and ("2" adj nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:47
S17	1257	(work adj function) and ("1" adj nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:48
S18	13390	(barrier adj layer) with ("4" adsj nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:56

S19	343	(barrier adj layer) with ("4" adj nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:49
S20	410	(barrier adj layer) with ("3" adj nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:49
S21	390	(barrier adj layer) with ("2" adj nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:49
S22	269	(barrier adj layer) with ("1" adj nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:50
S23	891	S19 or S20 or S20 or S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:50
S24	9	S23 and (barrier with (work adj function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:51
S25	7	S23 and (metal with barrier with (work adj function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/20 14:27
S26	0	S25 and (TaN or TiN or WN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:54
S27	682	(barrier adj layer) with ("4" adsj nm) with (TaN or TiN or WN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:57
S28	2	(barrier adj layer) with ("4" adj nm) with (TaN or TiN or WN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:09

S29	2	(barrier adj layer) with ("3" adj nm) with (TaN or TiN or WN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:57
S30	1	(barrier adj layer) with ("2" adj nm) with (TaN or TiN or WN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:57
S31	4	(barrier adj layer) with ("1" adj nm) with (TaN or TiN or WN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:58
S32	9	S28 or S29 or S30 or S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:06
S33	3	S32 and (work adj function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:01
S34	6	S32 and gate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:03
S35	3	S34 and (work adj function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:01
S36	1	(gate) with ("4" adj nm) with (TaN or TiN or WN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:09
S37	6	(gate) with ("3" adj nm) with (TaN or TiN or WN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:10
S38	4	(gate) with ("2" adj nm) with (TaN or TiN or WN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:10

S39	0	(gate) with ("1" adj nm) with (TaN or TiN or WN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:10
S40	11	S36 or S37 or S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:10
S41	6	S40 and (work adj function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:20
S42	2	S41 and (barrier adj layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:11
S43	34	(barrier adj layer) with gate with (work adj function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 16:20
S44	236	257/407.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 13:31
S45	1063	438/653.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 13:32
S46	47	(barrier adj layer) with gate with (work adj function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 16:20
S47	0	S46 and ("4" with nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 16:20
S48	3	S46 and (barrier with "3" with nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 16:21

S49	0	S46 and (barrier with "2" with nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 16:23
S50	4	S46 and (barrier with "1" with nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 16:23
S51	2	(gate) with ("4" adj nm) with (TaN or TiN or WN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 22:22
S52	8	(gate) with ("3" adj nm) with (TaN or TiN or WN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 22:22
S53	4	(gate) with ("2" adj nm) with (TaN or TiN or WN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 22:22
S54	14	S51 or S52 or S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 22:22
S55	415	(barrier adj layer) with ("4" adj nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/20 14:27
S56	507	(barrier adj layer) with ("3" adj nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/20 14:27
S57	501	(barrier adj layer) with ("2" adj nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/20 14:27
S58	1112	S55 or S56 or S56 or S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/20 14:27

S59	9	S58 and (metal with barrier with (work adj function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/20 14:29
S60	5	(US-20020142531-$ or US-20050104112-$ or US-20030146479-$ or US-20040106249-$).did. or (US-6861712-$).did.	US-PGPUB; USPAT	OR	ON	2007/01/22 00:00
S61	2	S60 and WN	US-PGPUB; USPAT	OR	ON	2007/01/22 00:05
S62	2	"6573149"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:05
S63	6	(US-20020142531-$ or US-20050104112-$ or US-20030146479-$ or US-20040106249-$).did. or (US-6861712-$ or US-6573149-$).did.	US-PGPUB; USPAT	OR	ON	2007/01/22 00:05
S64	2	S63 and WN	US-PGPUB; USPAT	OR	ON	2007/01/22 00:06
S65	616	Gate with (work adj function) with (Re or Pt or Hf or Zr or Cu orV or Ir or Ni or Mn or Co or NbO or Pd or Mo or TaSiN or Al or Nb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:25
S66	53	S65 and ((barrier adj layer) with gate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:25
S67	2	S65 and ((barrier adj layer) with gate with (nm))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:18
S68	739	Gate with (work adj function) with (Re or Pt or Hf or Zr or Cu or V or Ir or Ni or Mn or Co or NbO or Pd or Mo or TaSiN or Al or Nb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 08:39

S69	57	S68 and ((barrier adj layer) with gate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:25
S70	720	Gate with (work adj function) with (Re or Pt or Hf or Zr or Cu or V or Ir or Ni or Mn or Co or NbO or Pd or Mo or TaSiN or Nb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 08:40
S71	13	Gate with (work adj function) with (Re or Pt or Hf or Zr or Cu or V or Ir or Ni or Mn or Co or NbO or Pd or Mo or TaSiN or Nb) with upper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 08:40
S72	9	(US-20030151074-$ or US-20020142531-$ or US-20030146479-$ or US-20050104112-$ or US-20040175910-$ or US-20040235285-$ or US-20040106249-$).did. or (US-6861712-$ or US-6573149-$).did.	US-PGPUB; USPAT	OR	ON	2007/09/04 07:14
S73	4	S72 and (Pt or NbO or Pd or Nb)	US-PGPUB; USPAT	OR	ON	2007/09/04 07:15
S74	2392	257/369.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 01:12
S75	305	257/407.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 01:12
S76	2661	S74 or S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 01:12
S77	1	S76 and ((metal adj barrier) with (nanometer or (nm)) with (work adj function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 01:14

S78	1	((metal adj barrier) with (nanometer or (nm)) with (work adj function) with gate with (NbO or Pd or Nb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 01:17
S79	0	((metal adj barrier) with (nanometer or (nm)) with (work adj function) with gate with (NbO or Pd or Nb))	US-PGPUB	OR	ON	2007/09/27 01:17
S80	1	"6410376".PN.	USPAT; USOCR	OR	ON	2008/04/23 22:23
S81	43	"6410376"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 22:27
S82	10	(US-20040235285-$ or US-20040106249-$ or US-20050104112-$ or US-20030146479-$ or US-20020142531-$ or US-20040175910-$ or US-20030151074-$).did. or (US-6573149-$ or US-6861712-$ or US-6410376-$).did.	US-PGPUB; USPAT	OR	ON	2008/04/23 22:31
S83	273	Gate with ((metal adj barrier) or (barrier adj metal)) with (second with metal with gate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 22:32
S84	26	S83 and (gate with "1" with nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 22:32
S85	2287	(first adj gate) and (second adj gate) and (gate with ("1" or "2" or "3" or "4" or "5") with nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 22:36
S86	45	(first adj gate) and (second adj gate) and (gate with barrier with ("1" or "2" or "3" or "4" or "5") with nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 22:37

S87	10	(first adj gate) and (second adj gate) and (gate with metal with barrier with ("1" or "2" or "3" or "4" or "5") with nm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 22:49
S88	1	gate with nanometer with first with second with metal with (work adj function) with (Pt or NbO or Pd or Nb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/10 23:24
S89	14	("20020142531" | "20030146479" | "20030151074" | "20040106249" | "20040175910" | "6573149" | "6861712").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/10 23:27
S90	4	S89 and gate and (Pt or NbO or Pd or Nb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/10 23:27
S91	0	S90 and gate with nanometer with (work adj function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/10 23:28
S92	2	gate with nanometer with first with second with metal with (work adj function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/10 23:29
S93	0	gate with nanometer with first with second with metal with (work adj function) with (Pt or NbO or Pd or Nb). clms.	US-PGPUB	OR	ON	2008/05/10 23:30

11/ 10/ 08 7:22:51 AM
C:\ Documents and Settings\ EWojciechowicz\ My Documents\ EAST\ Workspaces\ 10784662. wsp